## Amendments to the Claims

1. (Original) A suture retainer for securing a suture relative to a body tissue, comprising:

a first section including an extension member, and

a second section configured for receiving the extension member, the first and second

sections being bondable together with the application of an energy source.

2. (Original) The suture retainer according to claim 1, wherein the suture is interposed

between the first and second sections.

3. (Original) The suture retainer according to claim 2, wherein the first and second sections

are bonded together to secure the suture.

4. (Original) The suture retainer according to claim 1, wherein the first section includes a

pair of parallel channels.

5. (Original) The suture retainer according to claim 4, wherein the extension member is

interposed between the pair of parallel channels.

6. (Original) The suture retainer according to claim 5, wherein the second section includes

a channel configured for receiving the extension member.

7. (Original) The suture retainer according to claim 6, wherein the suture includes first and

second ends one each positionable within the parallel channels.

8. (Original) The suture retainer according to claim 7, wherein the extension member is

positioned within the channel, such that the suture is interposed between the first and second

sections.

9. (Original) The suture retainer according to claim 1, wherein the first section comprises a

pair of parallel extension members.

3

Applicant(s): P. Bonutti Application No.: 10/780,444

Examiner: T. Neal

10. (Original) The suture retainer according to claim 9, wherein the second section includes

a pair of parallel channels configured for receiving the parallel extension members.

11. (Original) The suture retainer according to claim 10, wherein the suture is interposed

between the parallel extension members.

12. (Original) The suture retainer according to claim 11 wherein the parallel extension

members are positioned within the parallel channels, such that the suture is interposed between

the first and second sections.

13. (Original) The suture retainer according to claim 1, wherein the extension member is a

center post.

14. (Original) The suture retainer according to claim 13, wherein the second section

includes a flange defining a passage configured for receiving the center post.

15. (Original) The suture retainer according to claim 14, wherein an exterior surface of the

center post and an interior surface of the passage are textured.

16. (Original) The suture retainer according to claim 15, wherein the suture is wrapped

around the center post.

17. (Original) The suture retainer according to claim 16, wherein the center post is

positioned within the passage, such that the suture is interposed between the center post and the

an interior surface of the passage.

18. (Original) The suture retainer according to claim 1, wherein at least a portion of the

first and second section are textured.

19. (Original) The suture retainer according to claim 1, wherein the first and second

sections are interconnected.

4

Applicant(s): P. Bonutti Application No.: 10/780,444

Examiner: T. Neal

20. (Original) The suture retainer according to claim 1, wherein the suture retainer is made

of a biodegradable material.

21. (Original) The suture retainer according to claim 1, wherein the suture retainer is made

of a heat shrink material.

22. (Original) The suture retainer according to claim 1, wherein the suture retainer includes

viable cells.

23. (Original) The suture retainer according to claim 1, wherein the suture retainer includes

pharmaceutical agents.

24. (Original) The suture retainer according to claim 1, wherein the energy source is

selected from the group consisting of radio frequency energy, laser energy, microwave energy,

ultrasound energy, contact heating energy, and combinations thereof.

25-48. (Canceled)

5